

Dobinsons
SPRING & SUSPENSION
4x2 SUSPENSION
FITMENT GUIDE

CONTENTS

FIAT 1

Boxer, Ducato - 500 Series
2006 on . . . 1

FORD 2

Courier - PC, PD, PE, PG, PH (4x2)
1985 to 11/2006 - Standard Chassis 4x2 Low-Rider . . . 2

Courier - PH 4.0L V6 4x2 Highrider
2004 to 12/2006 - 4x2 High-Rider . . . 3

Ranger - PJ, PK
2007 to 08/2011 - Standard Chassis . . . 4

Ranger - PJ, PK
2007 to 08/2011 - 4x2 High-Rider . . . 5

Ranger - PX / T6 MKI & MKII
08/2011 to 06/2018 - 4x2 Low-Rider (Standard Chassis) . . . 6

Ranger - PX / T6 MKI & MKII
08/2011 to 06/2018 - 4x2 High-Rider . . . 7

GREAT WALL - GWM 8

Sailor, Wingle - SA220
06/2009 on . . . 8

HOLDEN - GM - ISUZU 9

Rodeo - KB - TFR 16 / 17 / 25 / 30 / 54
08/1998 to 2003 - Low-Rider . . . 9

Colorado, Rodeo - RA - TFR 27 / 77 / 85, RC - TFR 27 / 32 / 85
03/2003 to 2008, 09/2008 to 05/2012 - Low-Rider . . . 10

Colorado, Rodeo - RA - TFR 27 / 77 / 85, RC - TFR 27 / 32 / 85
03/2003 to 2008, 09/2008 to 05/2012 - High-Rider . . . 11

Colorado - RG
05/2012 on - 4x2 High-Rider . . . 12

Colorado 7 SUV - 2nd Generation
2012 on . . . 13

MU-X - UCR85
2013 on . . . 14

D-Max - TFR85
05/2012 to Mid 2020 - Low-Rider (Standard Chassis) . . . 15

D-Max - TFR85
05/2012 to Mid 2020 - High-Rider . . . 16

HYUNDAI 17

Grand Starex, H1, iLoad, iMax - H1, Grand Starex, iMax, iLoad
2008 on - Van - Coil Spring Models Only . . . 17

MAZDA 18

Bravo - B2200, B2500, B2600, B4000
1985 to 11/2006 - Low-Rider (Standard Chassis) 18

Bravo - B4000
2004 to 12/2006 - High-Rider . . . 19

BT-50 - UN
2007 to 10/2011 - Low-Rider (Standard Chassis - Rear Leaf Spring Underslung) . . . 20

BT-50 - UN
2007 to 10/2011 - High-Rider (Rear Leaf Spring Overslung) . . . 21

BT-50 - UP/UR
10/2011 on - Low-Rider (Standard Chassis) . . . 22

BT-50 - UP/UR
10/2011 on - High-Rider . . . 23

MITSUBISHI 24

Triton, L200 - ME, MF, MG, MH, MJ, MK
1987 to 09/2013 - 4x2 . . . 24

Triton, L200 - ML, MN
05/2006 to 2015 - High-Rider . . . 25

NISSAN 26

Navara, Frontier - D21 - D22, NP300
09/1985 to 2022, 2008 to 2022 . . . 26

Navara, Frontier - D40
11/2005 to 2021 - 4x2 Models with Rear Leaf Spring under the Axle . . . 27

Navara, Frontier - D40
11/2005 to 2021 - 4x2 Models with Rear Leaf Spring above the Axle . . . 28

Pathfinder - R52
2013 to 2020 . . . 29

PEUGEOT 30

Boxer, Ducato - Van
2006 on . . . 30

TOYOTA 31

Coaster - 42 & 50 Series
1990 on - HZB50, HDB51, HDB50, XZB50, XZB51, HZB56 . . . . . **31**

HiAce - KDH 200 Series - Diesel, TRH 200 Series - Petrol
2005 on, 2005 on **32**

HiAce - H300 Series
2019 on - Coil Spring Rear Models **33**

HiAce - H300 Series
2019 on - Leaf Spring Rear Models **34**

Hilux - LN / RN / YN / VZN 80, 81, 85, 86, LN / RZN 147, 149
1998 to 1997, 1997 to 2005 - 30mm ID Front Spring Eye **35**

Hilux - LN/RZN 150, 152, 154, RN90 SR5
1997 to 2005 - 40mm ID Front Spring Eye **36**

Hilux - Vigo - N70, Vigo - N80
03/2005 to Mid 2015, Mid 2015 to 2025 - Low-Rider (KUN/GGN 25/26, KZN 35/36, GGN 120, TGN 121, GUN 122) **37**

Hilux - GUN135, GUN136
2015 on **39**

Hilux - GUN135, GUN136
2015 on **40**

Hilux - Champ / Rangga / Tamaraw
2025 on - N110 / N120 . . . . . **41**

VOLKSWAGEN 43

Transporter, Multivan, Caravelle - Transporter, Multivan, Caravelle
2004 on **43**

TERMS & CONDITIONS OF SALE T2

WARRANTY T3

CONTENTS

SUITABLE FOR



TYPE: Boxer, Ducato
MODEL: 500 Series (2006 on)
VARIANT:
DETAIL: Cab Chassis / Van
Confirm Rear Spring Width

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
70mm Wide Rear Spring Models Only			
Linear Rate Raised Height Heavy Duty	1	**C47-034**	C
80mm Wide Rear Spring Models Only			
Linear Rate Raised Height Heavy Duty	1	**C47-048**	B+

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Suits 70mm Wide Rear Leaf Spring Models Only			
6 Leaves Raised Height (40mm Lift)	2	**L17-8110-R**	
Suits Motor Home			
7 Leaves Raised Height (40mm Lift)	2	**L17-8110-RHD**	
SPRING & SHACKLE BUSH KIT			
Rear of Rear (Reuse OE Front Eye Bush)	2	**PT259**	
Rear of Chassis	2	**PT259**	
U-BOLT KIT			
Kit Contains: 2 x UB43-910	2	**UB43-910K**	

SUITABLE FOR



TYPE: Courier
MODEL: PC, PD, PE, PG, PH (4x2) (1985 to 11/2006)
VARIANT: Standard Chassis 4x2 Low-Rider
DETAIL: 4 Cyl

FRONT	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 898mm	1	**TB39-1626**	
Check Length Before Ordering			
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-082S**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
5 + 2 Leaves Medium Duty Raised Height (45mm Lift)	2	**L39-8084-R**	
6 + 2 Leaves Heavy Duty Raised Height (45mm Lift) 200Kg Constant Load	2	**L39-8085-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x SPF311 4 x PB39-1533 4 x SPF753	1	**PB39-1058K**	
U-BOLT KIT			
Kit Contains: 2 x UB45-451	2	**UB45-451K**	
SHOCK ABSORBER			
1985 to 02/1999			
Twin Tube Nitro-Gas	2	**GS43-801**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	

SUITABLE FOR



TYPE: Courier
MODEL: PH 4.0L V6 4x2 Highrider (2004 to 12/2006)
VARIANT: 4x2 High-Rider
DETAIL: Mazda Proceed, Ranger 2000
4x2 High Rider

FRONT	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 926mm	1	**TB39-1546**	
Check Length Before Ordering			
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-082P**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
5 + 2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load	2	**MAZ-003-R**	
6 + 2 Leaves Heavy Duty Raised Height (35mm Lift) 200Kg Constant Load	2	**B2600-4X4-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x SPF311 4 x PB39-1533 4 x SPF753	1	**PB39-1058K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	

SUITABLE FOR



TYPE: Ranger
MODEL: PJ, PK (2007 to 08/2011)
VARIANT: Standard Chassis
DETAIL: Low-Rider,
Rear Leaf Springs Underslung

FRONT

	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1024mm x 27mm	1	**TB39-1551**	
Check Torsion Bar Length Before Ordering. Some Models Are Released With 974mm Long Torsion Bars. These Will Not Suit			
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-082PB**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L39-8080-R**	
4 + 2 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load	2	**L39-8081-R**	
5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	**L39-8082-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 4 x PB39-1533 4 x PB39-1549	1	**PB39-1056K**	
U-BOLT KIT			
Kit Contains: 2 x UB39-5044	2	**UB39-5044K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-083**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Ranger
MODEL: PJ, PK (2007 to 08/2011)
VARIANT: 4x2 High-Rider
DETAIL: Pickup / Dual Cab, Mazda BT-50

FRONT	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1024mm x 27mm	1	**TB39-1551**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-082P**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L39-030-R**	
4 + 2 Leaves Heavy Duty Raised Height (45mm Lift) 280Kg Constant Load	2	**L39-031-R**	
5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	**L39-032-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 4 x PB39-1533 4 x PB39-1549	1	**PB39-1056K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Ranger
MODEL: PX / T6 MKI & MKII (08/2011 to 06/2018)
VARIANT: 4x2 Low-Rider (Standard Chassis)
DETAIL: 2.2L Diesel, 2.5L Petrol

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift)	1	**C19-448**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-038**	
STRUT TOP CAP			
Strut Top Cap	2	**SC19-009**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
4 + 3 Leaves Heavy Duty Standard Height 280Kg Constant Load	2	**L19-192-R**	
5 + 3 Leaves Super Heavy Duty Standard Height 500Kg Constant Load	2	**L19-193-R**	
3 + 3 Leaves Medium Duty Raised Height (40mm Lift)	2	**L19-136-R**	
4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2	**L19-137-R**	
5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load	2	**L19-138-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525	1	**PB19-1104K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK19-058**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Ranger
MODEL: PX / T6 MKI & MKII (08/2011 to 06/2018)
VARIANT: 4x2 High-Rider
DETAIL:

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift) Comfort Option (Reduced Rate) 50-90Kg	1	**C19-428**	B
Linear Rate Raised Height (40mm Lift)	1	**C19-420**	B
Linear Rate Raised Height (40mm Lift) 50-90Kg	1	**C19-422**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-092**	
STRUT TOP CAP			
Strut Top Cap	2	**SC19-009**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L19-131-R**	
4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2	**L19-132-R**	
5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load	2	**L19-133-R**	
TAILSHAFT SPACER KIT			
Tailshaft Centre Bearing Spacer Kit	1	**WA19-527K**	
Helps to Reduce Driveline Vibration in Lifted Vehicles			
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525	1	**PB19-1104K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK19-058**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	



TYPE: Sailor, Wingle
MODEL: SA220 (06/2009 on)
VARIANT:
DETAIL: 4x2

FRONT

	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1145mm	1	**TB21-1550**	
Check Length Before Ordering			
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS21-463**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
4 + 2 Leaves Raised Height (50mm Lift) Softer Option	2	**RODE-011-R**	
The Above Spring Has A 200Kg Reduced Carrying Capacity			
4 + 3 Leaves Raised Height (50mm Lift)	2	**RODE-012-R**	
5 + 3 Leaves Raised Height (50mm Lift) 150Kg Constant Load	2	**RODE-013-R**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas Medium Duty Comfort Option	2	**GS59-649**	
Twin Tube Nitro-Gas (Big Bore)	2	**GS59-651**	
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1529 8 x PB59-1530	1	**PB59-1069K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-009**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Rodeo
MODEL: KB - TFR 16 / 17 / 25 / 30 / 54 (08/1998 to 2003)
VARIANT: Low-Rider
DETAIL: 4x2,
Excludes 4x2 High-Rider

FRONT	REQ	PART NUMBER	PRICE
TORSION BAR			
TFR 1988-1996 R7, R9 1996 to 2003 4 Cylinder			
Heavy Duty Rate Increased Length 1000mm	1	**TB21-1547**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-082S**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Raised Height (35mm Lift) 200Kg Constant Load	2	**RODE-007-R**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas Medium Duty Comfort Option	2	**GS59-649**	
Twin Tube Nitro-Gas (Big Bore)	2	**GS59-651**	
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1529 8 x PB59-1530	1	**PB59-1069K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-009**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Colorado, Rodeo
MODEL: RA - TFR 27 / 77 / 85, RC - TFR 27 / 32 / 85 (03/2003 to 2008, 09/2008 to 05/2012)
VARIANT: Low-Rider
DETAIL:

FRONT

COIL SPRING

	REQ	PART NUMBER	PRICE
Linear Rate Standard Height	1	**C21-320**	B
Linear Rate Raised Height (40mm Lift)	1	**C21-322**	B
Linear Rate Raised Height (40mm Lift) 50-90Kg	1	**C59-128**	B

SHOCK ABSORBER

	REQ	PART NUMBER	PRICE
Twin Tube Nitro-Gas	2	**GS21-468**	

REAR

LEAF SPRING

Two Stage

	REQ	PART NUMBER	PRICE
4 + 3 Leaves Raised Height (35mm Lift)	2	**L21-8087-R**	
5 + 3 Leaves Raised Height (45mm Lift) 250Kg Constant Load	2	**L21-8088-R**	

SPRING & SHACKLE BUSH KIT

	REQ	PART NUMBER	PRICE
Kit Contains: 2 x PB59-1529 8 x PB59-1530	1	**PB59-1069K**	

U-BOLT KIT

	REQ	PART NUMBER	PRICE
Kit Contains: 2 x UB21-466	2	**UB21-466K**	

SHOCK ABSORBER

	REQ	PART NUMBER	PRICE
Twin Tube Nitro-Gas	2	**GS43-801**	

SHACKLE KIT

	REQ	PART NUMBER	PRICE
Greasable: Fit in Pairs	2	**SK59-009**	

SHACKLE PIN

	REQ	PART NUMBER	PRICE
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Colorado, Rodeo
MODEL: RA - TFR 27 / 77 / 85, RC - TFR 27 / 32 / 85 (03/2003 to 2008, 09/2008 to 05/2012)
VARIANT: High-Rider
DETAIL:

FRONT

TORSION BAR

	REQ	PART NUMBER	PRICE
Heavy Duty Rate Increased Length 1145mm	1	**TB21-1550**	

Check Length Before Ordering

SHOCK ABSORBER

	REQ	PART NUMBER	PRICE
Twin Tube Nitro-Gas	2	**GS21-463**	

REAR

LEAF SPRING

Two Stage

	REQ	PART NUMBER	PRICE
4 + 2 Leaves Raised Height (35mm Lift) Softer Option	2	**RODE-011-R**	

The Above Spring Has A 200Kg Reduced Carrying Capacity

	REQ	PART NUMBER	PRICE
4 + 3 Leaves Raised Height (35mm Lift)	2	**RODE-012-R**	
5 + 3 Leaves Raised Height (45mm Lift) 150Kg Constant Load	2	**RODE-013-R**	

SHOCK ABSORBER

	REQ	PART NUMBER	PRICE
Twin Tube Nitro-Gas Medium Duty Comfort Option	2	**GS59-649**	
Twin Tube Nitro-Gas (Big Bore)	2	**GS59-651**	
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**	

SPRING & SHACKLE BUSH KIT

	REQ	PART NUMBER	PRICE
Kit Contains: 2 x PB59-1529 8 x PB59-1530	1	**PB59-1069K**	

U-BOLT KIT

	REQ	PART NUMBER	PRICE
Kit Contains: 2 x UB21-466	2	**UB21-466K**	

SHACKLE KIT

	REQ	PART NUMBER	PRICE
Greasable: Fit in Pairs	2	**SK59-009**	

SHACKLE PIN

	REQ	PART NUMBER	PRICE
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Colorado
MODEL: RG (05/2012 on)
VARIANT: 4x2 High-Rider
DETAIL: MMU 142, GM 1700, 2.5L, 2.8L Turbo Diesel

CAUTION

This vehicle has been issued with a recall notice to change the Coil Spring Stepped Isolator.
Take care when ordering Coil Springs or Shock Absorbers.

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
SUITS Vehicles With The Flat Coil Spring Isolator			
Linear Rate Raised Height (40mm Lift)	1	**C59-238**	B
Linear Rate Raised Height (40mm Lift) 50-100Kg	1	**C59-134**	B
SUITS Vehicles With The Coil Spring Stepped Isolator Fitted			
Linear Rate Raised Height (40mm Lift) Up to 50Kg	1	**C21-382**	B
Linear Rate Raised Height (40mm Lift) 50-100Kg	1	**C21-384**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS21-470**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L21-140-R**	
4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 250Kg Constant Load (Recommended)	2	**L21-141-R**	
5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 450Kg Constant Load	2	**L21-142-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 4 x PB59-1530 4 x PB59-1532	1	**PB21-1105K**	
U-BOLT KIT			
Suits L21-140-R Kit Contains: 2 x UB59-453-2	2	**UB59-453-2K**	
Suits L21-141-R Kit Contains: 2 x UB59-453-2	2	**UB59-453-2K**	
Suits L21-142-R 2 x UB59-437	2	**UB59-437K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-801**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK21-059**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Colorado 7 SUV
MODEL: 2nd Generation (2012 on)
VARIANT:
DETAIL: 2.8L Diesel, 2.5L Diesel 4x2

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift)	1	**C59-134**	B
Linear Rate Raised Height (40mm Lift) 50-100Kg	1	**C59-296**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS21-470**	
STRUT TOP CAP			
Strut Top Cap	2	**SC59-002**	

REAR	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift) No Load	1	**C21-403**	B
Linear Rate Raised Height (40mm Lift) 150-250Kg Constant Load	1	**C21-407**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-940**	

SUITABLE FOR



TYPE: MU-X
MODEL: UCR85 (2013 on)
VARIANT:
DETAIL: 4x2

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (20mm Lift)	1	**C59-276**	B
Linear Rate Raised Height (45mm Lift)	1	**C59-134**	B
Linear Rate Raised Height (45mm Lift) 50-100Kg	1	**C59-296**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS21-470**	
STRUT TOP CAP			
Strut Top Cap	2	**SC59-002**	

REAR

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (45mm Lift)	1	**C21-355**	B
Linear Rate Raised Height (45mm Lift) 100-200Kg Constant Load	1	**C21-357**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-940**	

SUITABLE FOR



TYPE: D-Max
MODEL: TFR85 (05/2012 to Mid 2020)
VARIANT: Low-Rider (Standard Chassis)
DETAIL: 4x2 Low-Rider
Standard Chassis
3.0L Turbo Diesel

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Standard Height	1	**C21-320**	B
Linear Rate Raised Height (40mm Lift)	1	**C21-322**	B
Linear Rate Raised Height (40mm Lift) 50-90Kg	1	**C59-128**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS21-468**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Raised Height (40mm Lift) Up to 150Kg Constant Load	2	**L21-8201-R**	
4 + 2 Leaves Raised Height (40mm Lift) 350Kg Constant Load	2	**L21-8202-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 8 x SPF2231	1	**PB21-1107K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-801**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-009**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: D-Max
MODEL: TFR85 (05/2012 to Mid 2020)
VARIANT: High-Rider
DETAIL: 4x2 High Rider

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (20mm Lift)	1	**C59-274**	B
Linear Rate Raised Height (40mm Lift)	1	**C59-276**	B
Linear Rate Raised Height (40mm Lift) 50-100Kg	1	**C59-134**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS21-470**	
STRUT TOP CAP			
Strut Top Cap	2	**SC59-002**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L21-140-R**	
4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 250Kg Constant Load (Recommended)	2	**L21-141-R**	
5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 450Kg Constant Load	2	**L21-142-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 4 x PB59-1530 4 x PB59-1532	1	**PB21-1105K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-453-2	2	**UB59-453-2K**	
Kit Contains: 2 x UB59-453-2	2	**UB59-453-2K**	
Kit Contains: 2 x UB59-437	2	**UB59-437K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-801**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK21-059**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Grand Starex, H1, iLoad, iMax
MODEL: H1, Grand Starex, iMax, iLoad (2008 on)
VARIANT: Van - Coil Spring Models Only
DETAIL:

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Standard Height Heavy Duty	1	**C25-080**	B

REAR	REQ	PART NUMBER	PRICE
COIL SPRING			
Variable Rate Standard Height Heavy Duty	1	**C25-079V**	B
Variable Rate Raised Height Heavy Duty	1	**C25-081V**	B

SUITABLE FOR



TYPE: Bravo
MODEL: B2200, B2500, B2600, B4000 (1985 to 11/2006)
VARIANT: Low-Rider (Standard Chassis)
DETAIL: 4x2 Standard Chassis

FRONT	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 898mm	1	**TB39-1626**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-082S**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
5 + 2 Leaves Medium Duty Raised Height (45mm Lift) 200Kg Constant Load	2	**L39-8084-R**	
6 + 2 Leaves Heavy Duty Raised Height (45mm Lift) 500Kg Constant Load	2	**L39-8085-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x SPF311 4 x PB39-1533 4 x SPF753	1	**PB39-1058K**	
U-BOLT KIT			
Kit Contains: 2 x UB45-451	2	**UB45-451K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-801**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	

SUITABLE FOR



TYPE: Bravo
MODEL: B4000 (2004 to 12/2006)
VARIANT: High-Rider
DETAIL: Pickup, Ford Raider / Courier, Proceed
4x2 High-Rider

FRONT

	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 926mm	1	**TB39-1546**	
Check Length Before Ordering			
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-082S**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
5 + 2 Leaves Raised Height (35mm Lift) Up to 100Kg Constant Load	2	**MAZ-003-R**	
6 + 2 Leaves Heavy Duty Raised Height (35mm Lift) 200Kg Constant Load	2	**B2600-4X4-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x SPF311 4 x PB39-1533 4 x SPF753	1	**PB39-1058K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	

SUITABLE FOR



TYPE: BT-50
MODEL: UN (2007 to 10/2011)
VARIANT: Low-Rider (Standard Chassis - Rear Leaf Spring Underslung)
DETAIL: 4x2 Standard Chassis 2.5L Diesel
Rear Leaf Spring Underslung

FRONT	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1024mm x 27mm	1	**TB39-1551**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-082P**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L39-8080-R**	
4 + 2 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load	2	**L39-8081-R**	
5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	**L39-8082-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 4 x PB39-1533 4 x SPF753	1	**PB39-1056K**	
U-BOLT KIT			
Kit Contains: 2 x UB39-5044	2	**UB39-5044K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-083**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: BT-50
MODEL: UN (2007 to 10/2011)
VARIANT: High-Rider (Rear Leaf Spring Overslung)
DETAIL: 4x2 High-Rider Pickup / Dual Cab

FRONT

	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 1024mm x 27mm	1	**TB39-1551**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-082P**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L39-030-R**	
4 + 2 Leaves Heavy Duty Raised Height (45mm Lift) 280Kg Constant Load	2	**L39-031-R**	
5 + 2 Leaves Super Heavy Duty Raised Height (40mm Lift) 420Kg Constant Load	2	**L39-032-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 4 x PB39-1533 4 x PB39-1549	1	**PB39-1056K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: BT-50
MODEL: UP/UR (10/2011 on)
VARIANT: Low-Rider (Standard Chassis)
DETAIL: 4x2 Low-Rider Standard Chassis, 2.2L Diesel, 3.2L Petrol

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift)	1	**C19-448**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-038**	
STRUT TOP CAP			
Strut Top Cap	2	**SC19-009**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
4 + 3 Leaves Heavy Duty Standard Height 280Kg Constant Load	2	**L19-192-R**	
5 + 3 Leaves Super Heavy Duty Standard Height 500Kg Constant Load	2	**L19-193-R**	
3 + 3 Leaves Medium Duty Raised Height (40mm Lift)	2	**L19-136-R**	
4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2	**L19-137-R**	
5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load	2	**L19-138-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525	1	**PB19-1104K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK19-058**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: BT-50
MODEL: UP/UR (10/2011 on)
VARIANT: High-Rider
DETAIL: 4x2 High-Rider 3.2L Pickup,

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
XT Pickup (Dual Cab) XTR Pickup (Extra Cab) 4x2 High Rider			
Linear Rate Raised Height (40mm Lift)	1	**C19-420**	B
Linear Rate Raised Height (40mm Lift) 50-90Kg	1	**C19-422**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-092**	
STRUT TOP CAP			
Strut Top Cap	2	**SC19-009**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 3 Leaves Medium Duty Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L19-131-R**	
4 + 3 Leaves Heavy Duty Raised Height (40mm Lift) 280Kg Constant Load (Recommended)	2	**L19-132-R**	
5 + 3 Leaves Super Heavy Duty Raised Height (40mm Lift) 500Kg Constant Load	2	**L19-133-R**	
Cannot Use Original Bushes With This Spring			
TAILSHAFT SPACER KIT			
Tailshaft Centre Bearing Spacer Kit	1	**WA19-527K**	
Helps to Reduce Driveline Vibration in Lifted Vehicles			
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB19-1523 4 x PB19-1524 4 x PB19-1525	1	**PB19-1104K**	
U-BOLT KIT			
Kit Contains: 2 x UB21-466	2	**UB21-466K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS19-081T**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK19-058**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	



TYPE: Triton, L200
MODEL: ME, MF, MG, MH, MJ, MK (1987 to 09/2013)
VARIANT: 4x2
DETAIL: 4x2, Pickup, Colt Rodeo (South Africa), Mighty Max, L200 (PNG)

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Suits: ME-MJ (1986 to 09/1996)			
Linear Rate Standard Height Heavy Duty	1	**C43-092**	A
Suits: MK (10/1996 to 2006)			
Linear Rate Standard Height		**C43-112**	A
Linear Rate Heavy Duty Raised Height (35mm Lift)	1	**C43-086**	A
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-254**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Raised Height (35mm Lift) Up to 250Kg Constant Load	2	**TRIT-2WD-R**	
Above Springs Have A 36mm Front Spring Eye. For Bush Kit Use PB43-1075K			
SHOCK ABSORBER			
Twin Tube Nitro-Gas Medium Duty Comfort Option	2	**GS59-649**	
Twin Tube Nitro-Gas (Big Bore)	2	**GS59-651**	
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**	
SPRING & SHACKLE BUSH KIT			
Check Eye ID Before Ordering			
Suits: 36mm Front Spring Eye The Most Common (K33, 34, 36 etc...)			
CAUTION (36mm ID)			
Kit Contains: 2 x PB43-1526 4 x PB43-1528 4 x PB43-1527	1	**PB43-1075K**	
Suits: 41mm Front Spring Eye (K76, 77 - Dual Cabs)			
CAUTION (41mm ID)			
Kit Contains: 2 x PB43-1508 4 x PB43-1528 4 x PB43-1527	1	**PB43-1085K**	
U-BOLT KIT			
Kit Contains: 2 x UB43-671	2	**UB43-671K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK43-037**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	



TYPE: Triton, L200
MODEL: ML, MN (05/2006 to 2015)
VARIANT: High-Rider
DETAIL: 4x2 High-Rider

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Due To Vastly Different OE Ride Heights A Lift Of Only 20mm May Be Possible In Some Models			
Linear Rate Raised Height (40mm Lift) Up to 70Kg	1	**C43-186**	B
Linear Rate Raised Height (45mm Lift) 70-120Kg	1	**C43-192**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-800**	
STRUT TOP CAP			
Strut Top Cap	2	**SC43-005**	
TOP OUT STOP KIT			
Top Out Stop Kit	1	**WA43-539K**	
Recommended To Fit This Kit With All Suspension Kits To Maintain Droop Travel			

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
After Fitting These Springs, We Recommend Adjusting The Brake Proportioning Valve			
3 + 2 Leaves Raised Height (40mm Lift) Comfort Spring	2	**L43-014-R**	
4 + 2 Leaves Raised Height (45mm Lift) Medium Duty 100Kg Constant Load	2	**L43-015-R**	
5 + 2 Leaves Raised Height (45mm Lift) Heavy Duty 350Kg Constant Load	2	**L43-016-R**	
6 + 2 Leaves Raised Height (45mm Lift) Extra Heavy Duty 550Kg Constant Load	2	**L43-017-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB43-1508 4 x PB43-1528 4 x PB43-1527	1	**PB43-1085K**	
U-BOLT KIT			
Kit Contains: 2 x UB43-701	2	**UB43-701K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-801**	
Twin Tube Nitro-Gas Heavy Duty (Long Travel)	2	**GS59-651**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK43-037**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	
TAILSHAFT SPACER KIT			
When Fitting Raised Suspension a Tailshaft Spacer is Required to Align the Centre Bearing and Prolong Life in Models with a 2 Piece Tailshaft	1	**S43-001**	

SUITABLE FOR



TYPE: Navara, Frontier
MODEL: D21 - D22, NP300 (09/1985 to 2022, 2008 to 2022)
VARIANT:
DETAIL: 4x2

FRONT	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 892mm	1	**TB45-1446**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS45-097**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
4 + 3 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**NAV-2WD-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 4 x SPF055 8 x SPF203	1	**PB45-1067K**	
U-BOLT KIT			
Kit Contains: 2 x UB45-451	2	**UB45-451K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS43-801**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK45-052**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP45-061**	

SUITABLE FOR



TYPE: Navara, Frontier
MODEL: D40 (11/2005 to 2021)
VARIANT: 4x2 Models with Rear Leaf Spring under the Axle
DETAIL:

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift) Up to 50Kg	1	**C45-252**	B
Linear Rate Raised Height (40mm Lift) 50-100Kg	1	**C45-256**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS45-642**	
STRUT TOP CAP			
Strut Top Cap	2	**SC45-004**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
4 + 2 Leaves Raised Height (45mm Lift) Medium Duty Up to 200Kg Constant Load	2	**L45-8119-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1507	1	**PB45-1095K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS45-645**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK45-054**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	



TYPE: Navara, Frontier
MODEL: D40 (11/2005 to 2021)
VARIANT: 4x2 Models with Rear Leaf Spring above the Axle
DETAIL:

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (40mm Lift) Up to 50Kg	1	**C45-252**	B
Linear Rate Raised Height (40mm Lift) 50-100Kg	1	**C45-256**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS45-642**	
STRUT TOP CAP			
Strut Top Cap	2	**SC45-004**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
3 + 2 Leaves Raised Height (35mm Lift) Medium Duty Up to 100Kg Constant Load	2	**L45-002-R**	
4 + 2 Leaves Raised Height (50mm Lift) Heavy Duty 250Kg Constant Load	2	**L45-003-R**	
5 + 2 Leaves Raised Height (50mm Lift) Super Heavy Duty 380Kg Constant Load	2	**L45-004-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1529 4 x PB45-1531 4 x PB45-1507	1	**PB45-1095K**	
U-BOLT KIT			
Suits L45-002-R Kit Contains: 2 x UB59-667	2	**UB59-667K**	
Suits L45-003-R Kit Contains: 2 x UB59-453-2	2	**UB59-453-2K**	
Suits L45-004-R Kit Contains: 2 x UB59-453-2	2	**UB59-453-2K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK45-054**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-060**	

SUITABLE FOR



TYPE: Pathfinder
MODEL: R52 (2013 to 2020)
VARIANT:
DETAIL: 4x2

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (30mm Lift)	1	**C45-420**	C
Linear Rate Raised Height (30mm Lift) 50-80Kg	1	**C45-422**	C

REAR	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Standard Height 150-250Kg Constant Load	1	**C45-421**	B
Linear Rate Raised Height (30mm Lift)	1	**C45-421**	B
Linear Rate Raised Height (30mm Lift) 150-250Kg Constant Load	1	**C45-423**	B



TYPE: Boxer, Ducato
MODEL: Van (2006 on)
VARIANT:
DETAIL: Cab Chassis / Van

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate	1	**C47-034**	C

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Replaces 2 Leaf OE Parabolic Spring			
6 Leaves Raised Height (40mm Lift)	2	**L17-8110-R**	
SUITS MOTOR HOME **Replaces 2 Leaf OE Parabolic Spring**			
6 Leaves Raised Height (40mm Lift)	2	**L17-8110-R**	
SPRING BUSH			
Rear of Rear (Reuse OE Front Eye Bush)	2	**PT259**	
Rear of Chassis	2	**PT259**	
U-BOLT KIT			
Kit Contains: 2 x UB43-910	2	**UB43-910K**	

SUITABLE FOR



TYPE: Coaster
MODEL: 42 & 50 Series (1990 on)
VARIANT: HZB50, HDB51, HDB50, XZB50, XZB51, HZB56
DETAIL: 29 Seater

FRONT	REQ	PART NUMBER	PRICE
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-782W**	

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
5 Leaves Raised Height (30mm Lift)	2	**BB42-R**	
NOTE: 5 Leaf Springs Replaces 2 Leaf OE Parabolic Spring. U-Bolt Part Number UB59-911 Must Be Fitted With This Spring.			
SPRING & SHACKLE BUSH KIT			
Front of Rear Spring	2	**PB63-1520-16**	
Rear of Rear Spring	2	**PT259**	
Rear of Rear Spring Upper Chassis	4	**PT257**	
U-BOLT KIT			
Kit Contains: 2 x UB59-911	2	**UB59-911K**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-651**	

SUITABLE FOR



TYPE: HiAce
MODEL: KDH 200 Series - Diesel, TRH 200 Series - Petrol (2005 on, 2005 on)
VARIANT:
DETAIL: 200, 201, 202, 205, 214, 219, 220, 221, 222, 223, 224, 225, 227, 229

FRONT

	REQ	PART NUMBER	PRICE
TORSION BAR			
Must Be Purchased As A Pair			
Linear Rate Length 1212mm	1	**TB59-1670**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS21-463**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Rear Springs Must Be Fitted In Pairs			
Suits Passenger Vehicles with Seats			
3 + 2 Leaves Raised Height (35mm Lift) Comfort Spring	2	**HIAC-113-R**	
Suits Permanent Load			
4 + 2 Leaves Raised Height (45mm Lift) Medium Duty	2	**L59-048-R**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 4 x SPF972 4 x SPF2231A	1	**PB59-1076K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
SHOCK ABSORBER			
Suits Passenger Vehicles with Seats			
Twin Tube Nitro-Gas Medium Duty	2	**GS59-649**	
Suits Permanent Load			
Twin Tube Nitro-Gas (Big Bore)	2	**GS59-651**	

SUITABLE FOR



TYPE: HiAce
MODEL: H300 Series (2019 on)
VARIANT: Coil Spring Rear Models
DETAIL: Coil Spring Rear Models Only

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height (30mm Lift)	1	**C59-802**	B

REAR	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Standard Height Heavy Duty 400-600Kg Constant Load	1	**C59-805**	C
Linear Rate Standard Height Comfort Option (Reduced Load Carrying Capacity)	1	**C59-807**	C
Linear Rate Raised Height (30mm Lift)	1	**C59-803**	C
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-651**	

SUITABLE FOR



TYPE: HiAce
MODEL: H300 Series (2019 on)
VARIANT: Leaf Spring Rear Models
DETAIL: Super Long Wheel Base, Leaf Spring Rear Models Only

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Standard Height 40-80Kg	1	**C59-806**	C
Linear Rate Raised Height (25mm Lift)	1	**C59-806**	C

REAR	REQ	PART NUMBER	PRICE
LEAF SPRING			
Must Refit OEM Bushes			
5 + 2 Leaves Standard Height 600-900Kg Constant Load	2	**L59-8348-R**	
5 + 2 Leaves Raised Height (40mm Lift) Up to 100Kg Constant Load	2	**L59-8348-R**	
**2 Stage Spring Replaces Single Stage To Maintain Vehicle Ride Unloaded, With An Increased Spring Rate When Loaded.			
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-651**	
U-BOLT KIT			
Kit Contains: 2 x UB59-915	2	**UB59-915K**	

SUITABLE FOR



TYPE: Hilux
MODEL: LN / RN / YN / VZN 80, 81, 85, 86, LN / RZN 147, 149 (1998 to 1997, 1997 to 2005)
VARIANT: 30mm ID Front Spring Eye
DETAIL: 4x2

FRONT

	REQ	PART NUMBER	PRICE
TORSION BAR			
Heavy Duty Rate Increased Length 893mm	1	**TB59-1636**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-254**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
Must Check Main Leaf Centres Before Ordering			
3 + 2 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	**LN85-3+2-R**	
4 + 2 Leaves Raised Height (45mm Lift) Heavy Duty 200Kg Constant Load	2	**LN85-4+2-R**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas Heavy Duty Medium Load	2	**GS59-649**	
Twin Tube Nitro-Gas Extra Heavy Duty 350Kg Constant Load	2	**GS59-651**	
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**	
SPRING & SHACKLE BUSH KIT			
30mm Front Spring Eye			
Kit Contains: 8 x SPF2231 4 x SPF2231A	1	**PB59-1070K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-415	2	**UB59-415K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	
SHACKLE PIN			
Greasable: Fit in Pairs	2	**SP59-005**	

SUITABLE FOR



TYPE: Hilux
MODEL: LN/RZN 150, 152, 154, RN90 SR5 (1997 to 2005)
VARIANT: 40mm ID Front Spring Eye
DETAIL: 4x2

FRONT

	REQ	PART NUMBER	PRICE
TORSION BAR			
Must Be Purchased As A Pair			
Heavy Duty Rate Increased Length 893mm	1	**TB59-1636**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-254**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Two Stage			
Must Check Main Leaf Centres Before Ordering			
3 + 2 Leaves Raised Height (50mm Lift) Medium Duty Up to 100Kg Constant Load	2	**HIL-028-R**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas Heavy Duty Medium Load	2	**GS59-649**	
Twin Tube Nitro-Gas Extra Heavy Duty 350Kg Constant Load	2	**GS59-651**	
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**	
SPRING & SHACKLE BUSH KIT			
40mm Front Spring Eye			
Kit Contains: 2 x PB59-1529 4 x PB59-1530 4 x SPF2231A	1	**PB59-1084K**	
U-BOLT KIT			
Kit Contains: 2 x UB43-671	2	**UB43-671K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-010**	
SHACKLE PIN			
40mm Front Spring Eye			
Greasable: Fit in Pairs	2	**SP59-005**	

SUITABLE FOR



TYPE: Hilux
MODEL: Vigo - N70, Vigo - N80 (03/2005 to Mid 2015, Mid 2015 to 2025)
VARIANT: Low-Rider (KUN/GGN 25/26, KZN 35/36, GGN 120, TGN 121, GUN 122)
DETAIL: 4x2 Low-Rider Single Cab, Extra Cab, Dual Cab

FRONT

COIL SPRING

GGN15 4.0L Petrol
TGN15 2.7L Petrol
TGN16 2.7L Petrol

	REQ	PART NUMBER	PRICE
Linear Rate Standard Height	1	**C59-428**	B
Linear Rate Raised Height	1	**C59-368**	B

KUN16 3.0L Diesel, GUN122 2.4L

	REQ	PART NUMBER	PRICE
Linear Rate Standard Height	1	**C59-368**	B
Linear Rate Raised Height	1	**C59-370**	B

SHOCK ABSORBER

	REQ	PART NUMBER
Twin Tube Nitro-Gas	1	**GS59-218 RH**
Twin Tube Nitro-Gas	1	**GS59-218 LH**

REAR

LEAF SPRING

Single Cab
35mm Front Spring Eye

	REQ	PART NUMBER
3 + 2 Leaves Medium Duty Raised Height (50mm Lift)	2	**L59-050-R**
4 + 2 Leaves Heavy Duty Raised Height (50mm Lift) 280kg Constant Load	2	**L59-051-R**
5 + 2 Leaves Super Heavy Duty Raised Height (50mm Lift) 450kg Constant Load	2	**L59-052-R**

Extra Cab / Dual Cab
40mm Front Spring Eye

	REQ	PART NUMBER
3 + 2 Leaves Medium Duty Raised Height (50mm Lift)	2	**L59-053-R**
4 + 2 Leaves Heavy Duty Raised Height (50mm Lift) 280kg Constant Load	2	**L59-054-R**
5 + 2 Leaves Super Heavy Duty Raised Height (50mm Lift) 450kg Constant Load	2	**L59-055-R**

SPRING & SHACKLE BUSH KIT

For Single Cab
35mm Front Spring Eye

	REQ	PART NUMBER
Kit Contains: 4 x PB59-1500 4 x PB59-1501 4 x PB59-1502	1	**PB59-1096K**

For Extra Cab/Dual Cab
40mm Front Spring Eye

	REQ	PART NUMBER
Kit Contains: 2 x PB59-1503 4 x PB59-1501 4 x PB59-1502	1	**PB59-1094K**

SHOCK ABSORBER

	REQ	PART NUMBER
Twin Tube Nitro-Gas Medium Duty Comfort Option	2	**GS59-649**
Twin Tube Nitro-Gas (Big Bore)	2	**GS59-651**
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**

CONTINUED ON NEXT PAGE

SUITABLE FOR



TYPE: Hilux
MODEL: Vigo - N70, Vigo - N80 (03/2005 to Mid 2015, Mid 2015 to 2025)
VARIANT: Low-Rider (KUN/GGN 25/26, KZN 35/36, GGN 120, TGN 121, GUN 122)
DETAIL: 4x2 Low-Rider Single Cab, Extra Cab, Dual Cab

FRONT	REQ	PART NUMBER	PRICE

CONTINUED FROM PREVIOUS PAGE

REAR	REQ	PART NUMBER	PRICE
U-BOLT KIT			
Suits L59-050-R Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
Suits L59-053-R Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
Suits L59-051-R/L59-052-R Kit Contains: 2 x UB59-453-1	2	**UB59-453-1K**	
Suits L59-054-R/L59-055-R Kit Contains: 2 x UB59-453-1	2	**UB59-453-1K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-053**	
Does Not Suit 05/2015 on Single Cab Models			
SHACKLE PIN			
Suits Extra Cab / Dual Cab			
Greasable: Fit in Pairs	2	**SP59-060**	
Pin Only Fits Models With 40mm Front Spring Eye			
Does Not Suit 05/2015 on Single Cab Models			



TYPE: Hilux
MODEL: GUN135, GUN136 (2015 on)
VARIANT:
DETAIL: 4x2 High-Rider

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
Single Cab			
Linear Rate Standard Height (15mm Lift) 50-100Kg	1	**C59-718**	B
Linear Rate Raised Height (45mm Lift) Up to 50Kg	1	**C59-302**	B
Linear Rate Raised Height (45mm Lift) 60-100Kg	1	**C59-350**	B
Dual Cab			
Linear Rate Standard Height 50-80Kg	1	**C59-718**	B
Linear Rate Raised Height (45mm Lift) Comfort Option Up to 40Kg	1	**C59-302**	B
Linear Rate Raised Height (45mm Lift) Heavy Duty Up to 40Kg	1	**C59-350**	B
Linear Rate Raised Height (45mm Lift) Heavy Duty 40-60Kg	1	**C59-354**	B
Linear Rate Raised Height (45mm Lift) Heavy Duty 80-100Kg	1	**C59-736**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-228**	
IFP Monotube Shock (IMS) Adjustable Spring Seat Height X = 226mm / 8.89"	2	**IMS59-50700**	
X - Centre of Eye to Spring Seat			
Monotube Remote Reservoir (3-Way Adjustable) Adjustable Spring Seat Height X = 226mm / 8.89"	2	**MRA59-A228**	
X - Centre of Eye to Spring Seat			
Includes Vehicle Specific Bracket. If Vehicle Specific Bracket Does Not Work, Use RM80-005 Universal Bracket			
BUMP STOP			
Rubber Bump Stop			
Replacement Bump Stop Progressive Adjustable 0-30mm Extension	2	**BS59-560**	
Replaces Original Bump Stop. If Exceeding Listed Spring Seat Heights This MUST Be Used To Prevent Coil Bind.			

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
2 + 1 Leaves **(Parabolic)** Raised Height (50mm Lift) Comfort Option Up to 60Kg Constant Load	2	**L59-178-RP**	
5 + 3 Leaves Standard Height (Approx) Heavy Duty 250-300Kg Constant Load	2	**L59-173-R**	
3 + 3 Leaves Raised Height (20mm Lift) Light Duty No Load	2	**L59-171-R**	
4 + 3 Leaves Raised Height (45mm Lift) Medium Duty Up to 175Kg Constant Load	2	**L59-174-R**	
5 + 3 Leaves Raised Height (45mm Lift) Heavy Duty 300-350Kg Constant Load	2	**L59-175-R**	
6 + 3 Leaves Raised Height (45mm Lift) Super Heavy Duty 580Kg Constant Load	2	**L59-176-R**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas	2	**GS59-229**	
IFP Monotube Shock (IMS)	2	**IMS59-50229**	
Monotube Remote Reservoir (3-Way Adjustable)	2	**MRA59-A229**	
SPRING & SHACKLE BUSH KIT			
Kit Contains: 2 x PB59-1503 (F) 4 x PB59-1501 (R) 4 x PB59-1502 (C)	1	**PB59-1094K**	
U-BOLT KIT			
Kit Contains: 2 x UB59-437	2	**UB59-437K**	
SHACKLE KIT			
Rear of Rear Spring	2	**SK59-064**	
SHACKLE PIN			
Front of Rear Spring Greasable: Fit in Pairs	2	**SP59-060**	
This Part Is Recommended With All Kits As The Fuel Tank Location Inhibits Original Bolt Removal.			

CONTINUED ON NEXT PAGE



TYPE: Hilux
MODEL: GUN135, GUN136 (2015 on)
VARIANT:
DETAIL: 4x2 High-Rider

FRONT	REQ	PART NUMBER	PRICE

REAR	REQ	PART NUMBER	PRICE

CONTINUED FROM PREVIOUS PAGE

STRUT TOP CAP

	Strut Top Cap	2	**SC59-001**	

STRUT SPACER

	5mm Trim Packer (10mm Lift)	1	**PS59-4030**	

Maximum 1 Per Shock.
Requires Diff Drop Kit If Fitting To IMS or MRA Shock Absorbers

TAILSHAFT SPACER KIT

	Tailshaft Cetre Bearing Spacer Kit Helps To Reduce Driveline Vibration In Lifted Vehicles. Should Be Fitted To All Lifted Vehicles. Lowers The Centre Bearing 12 or 24mm.	1	**WA59-553K**	

SUITABLE FOR



TYPE: Hilux
MODEL: Champ / Rangga / Tamaraw (2025 on)
VARIANT: N110 / N120
DETAIL: 4x2 Low-Rider Single Cab, Extra Cab, Dual Cab

FRONT

	REQ	PART NUMBER	PRICE
COIL SPRING			
GGN15 4.0L Petrol TGN15 2.7L Petrol TGN16 2.7L Petrol			
Linear Rate Standard Height	1	**C59-428**	B
Linear Rate Raised Height	1	**C59-368**	B
KUN16 3.0L Diesel			
Linear Rate Standard Height	1	**C59-368**	B
Linear Rate Raised Height	1	**C59-370**	B
SHOCK ABSORBER			
Twin Tube Nitro-Gas	1	**GS59-218 RH**	
Twin Tube Nitro-Gas	1	**GS59-218 LH**	

REAR

	REQ	PART NUMBER	PRICE
LEAF SPRING			
Single Cab 35mm Front Spring Eye			
3 + 2 Leaves Medium Duty Raised Height (50mm Lift)	2	**L59-050-R**	
4 + 2 Leaves Heavy Duty Raised Height (50mm Lift) 280kg Constant Load	2	**L59-051-R**	
5 + 2 Leaves Super Heavy Duty Raised Height (50mm Lift) 450kg Constant Load	2	**L59-052-R**	
Extra Cab / Dual Cab 40mm Front Spring Eye			
3 + 2 Leaves Medium Duty Raised Height (50mm Lift)	2	**L59-053-R**	
4 + 2 Leaves Heavy Duty Raised Height (50mm Lift) 280kg Constant Load	2	**L59-054-R**	
5 + 2 Leaves Super Heavy Duty Raised Height (50mm Lift) 450kg Constant Load	2	**L59-055-R**	
SHOCK ABSORBER			
Twin Tube Nitro-Gas Medium Duty Comfort Option	2	**GS59-649**	
Twin Tube Nitro-Gas (Big Bore)	2	**GS59-651**	
IFP Monotube Shock (IMS) (Big Bore)	2	**IMS59-50649**	
SPRING & SHACKLE BUSH KIT			
For Single Cab 35mm Front Spring Eye			
Kit Contains: 4 x PB59-1500 4 x PB59-1501 4 x PB59-1502	1	**PB59-1096K**	
For Extra Cab/Dual Cab 40mm Front Spring Eye			
Kit Contains: 2 x PB59-1503 4 x PB59-1501 4 x PB59-1502	1	**PB59-1094K**	

CONTINUED ON NEXT PAGE

SUITABLE FOR



TYPE: Hilux
MODEL: Champ / Rangga / Tamaraw (2025 on)
VARIANT: N110 / N120
DETAIL: 4x2 Low-Rider Single Cab, Extra Cab, Dual Cab

FRONT	REQ	PART NUMBER	PRICE

CONTINUED FROM PREVIOUS PAGE

REAR	REQ	PART NUMBER	PRICE
U-BOLT KIT			
Suits L59-050-R Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
Suits L59-053-R Kit Contains: 2 x UB59-453-3	2	**UB59-453-3K**	
Suits L59-051-R/L59-052-R Kit Contains: 2 x UB59-453-1	2	**UB59-453-1K**	
Suits L59-054-R/L59-055-R Kit Contains: 2 x UB59-453-1	2	**UB59-453-1K**	
SHACKLE KIT			
Greasable: Fit in Pairs	2	**SK59-053**	
Does Not Suit 05/2015 on Single Cab Models			
SHACKLE PIN			
Suits Extra Cab / Dual Cab			
Greasable: Fit in Pairs	2	**SP59-060**	
Pin Only Fits Models With 40mm Front Spring Eye			
Does Not Suit 05/2015 on Single Cab Models			

SUITABLE FOR



TYPE: Transporter, Multivan, Caravelle
MODEL: Transporter, Multivan, Caravelle (2004 on)
VARIANT:
DETAIL: 4x2

FRONT	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height Heavy Duty	1	**C63-023**	B

REAR	REQ	PART NUMBER	PRICE
COIL SPRING			
Linear Rate Raised Height Heavy Duty	1	**C63-024T**	C

TERMS & CONDITIONS OF SALE

INTERPRETATION

In these Terms and Conditions of Sale ("Terms"), "Goods" means the goods subject of the Contract; "Dobinsons Spring & Suspension™" means the entity selling the Goods; "Client" means the entity purchasing the Goods; "Contract" means each contract between Dobinsons Spring & Suspension™ and Client for the sale and purchase of Goods.

TITLE

Title to the goods will not pass to the Client until the following is completed:

1. Dobinsons Spring & Suspension™ being paid in full under all Contracts.

Until the Goods pass to Client, Client must:

1. Hold the Goods as bail for Dobinsons Spring & Suspension™ and keep them in good order and condition; and
2. Not remove any markings placed by Dobinsons Spring & Suspension™ and ensure that the Goods can be readily identified and distinguished from other property in Client's possession; and
3. Deliver the Goods to Dobinsons Spring & Suspension™ immediately upon demand and, for this purpose, Dobinsons Spring & Suspension™ is authorized to enter at any time any premises in which the Goods may be located (the costs incidental to which will be borne by Client).

QUOTATIONS & ORDERS

Any quotation made by Dobinsons Spring & Suspension™ will not be construed or operate as an offer or obligation to sell. Dobinsons Spring & Suspension™ reserve the right to accept or reject in its absolute discretion any order received. Client will not be entitled to cancel or refuse delivery of, or payment for, any order made by him, which has been accepted by Dobinsons Spring & Suspension™.

PRICE

The price payable to Dobinsons Spring & Suspension™ by Client for the Goods will be the price agreed, failing which it will be the price prevailing at the date the Goods are dispatched by Dobinsons Spring & Suspension™ for delivery to Client. Prices are payable in Australian currency and exclusive of delivery costs, taxes, duties and other imposts which, if chargeable, are payable by Client. Prices quoted in any Dobinsons Spring & Suspension™ price list are suggested prices only and may be changed by Dobinsons Spring & Suspension™ without notice.

PAYMENT

All Goods will be paid for in full before receiving or dispatching of Goods from Dobinsons Spring & Suspension™ unless previously arranged.

DAMAGE

Buyer acknowledges that the Goods leaving Dobinsons Spring & Suspension's premises are adequately packed. Claims for damage in transit must be made against the carrier and, while Dobinsons Spring & Suspension™ will not accept liability for any damage, details of any claim must be promptly advised to Dobinsons Spring & Suspension Prior to acknowledging delivery to the carrier, Client must ensure that the complete consignment has been received as specified in the carrier's note. Any shortage or visible damage to outer packaging must be endorsed on the carrier's note. Any shortages and/or damages must be reported to Dobinsons Spring & Suspension™ within 72 hours of receipt.

IMPLIED TERMS, LIMITATION OF LIABILITY & CLIENT INDEMNITY

Subject to these Terms, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with, the Contract (including, without limitation, liability due to negligence or wilful default of Dobinsons Spring & Suspension™ and any delay in delivery) or any error (whether negligent or not) in information supplied to Client in connection with its subject matter or the use, possession or delivery of the Goods or the exercise by Dobinsons Spring & Suspension™ of its right under Breach by Client will indemnify Dobinsons Spring & Suspension™ in relation to any such loss, damage, expense or injury.

FORCE MAJEURE

Despite any other term or condition of the Contract, Dobinsons Spring & Suspension™ will not be liable for any loss, damage, expense or injury of any kind or nature suffered or incurred by Client or any other person, arising out of or in connection with any delay in delivery, or failure to perform any other term or condition of the Contract where that delay or failure is caused by an act of God, fire, labour dispute, civil commotion, intervention of a government, inability to obtain labour, materials or manufacturing facilities, accidents, interruptions of or delay in transportation or any other cause beyond Dobinsons Spring & Suspension's reasonable control.

BREACH BY CLIENT

If Client breaches a Contract or Dobinsons Spring & Suspension™ is not satisfied of a Client's ability to pay or otherwise comply with each Contract, Dobinsons Spring & Suspension™ may by notice to Client, but without compensation, terminate every Contract, suspend or cease deliveries under all Contracts, set-off all deposits against amounts due and make all amounts then outstanding by Client to Dobinsons Spring & Suspension™ immediately due and payable.

ERRORS & OMISSIONS

Dobinsons Spring & Suspension™ has the right to correct any clerical errors or omissions, whether in computation or otherwise in any quotation, acknowledgment, or document forming part of a Contract. Although care has been taken to ensure the accuracy of the data contained in this publication, Dobinsons Spring & Suspension™ does not assume any liability for errors or omissions.

WARRANTY

WARRANTIES

Dobinsons Spring & Suspension™ at its sole discretion will repair or replace any products supplied by them that are found to be defective in either materials or workmanship providing that Dobinsons Spring & Suspension™ are actually notified in writing from the Client of the alleged defect within two years (2 years) from date of invoice for Coil Springs, Leaf Springs and Shock Absorbers, and within twelve months (12 months) from date of invoice for all other parts. Any claim not made within this period shall conclusively be deemed waived by the Client. Repair or replacement is pre-conditioned on the examination of the goods which on instructions from Dobinsons Spring & Suspension™ on, should be returned for further inspection to Dobinsons Spring & Suspension™ or to an Approved Importer.

Coil Springs listed in this catalogue have a 2 year warranty against the following, unless otherwise stipulated:

1. Faulty Manufacture

2. Breakage

3. Sagging (being loss of free height of more than 10mm).

Leaf Springs listed in this catalogue have a 2 year warranty against the following:

1. Faulty Manufacture

2. Breakage

3. Sagging (being the loss of free camber by more than 12mm).

Shock Absorbers listed in this catalogue have a 2 year warranty providing the vehicle does not have a modified exhaust system.

Fridges listed in the catalogue have a 5 year warranty on the motor and a 1 year warranty on all other parts against:

1. Faulty Manufacture

Winches listed in the catalogue have a 2 year warranty against:

1. Faulty Manufacture

All other accessories listed in the catalogue have a 1 year warranty against:

1. Faulty Manufacture

Dobinsons Spring & Suspension™ products are designed for normal use and are in no way, covered under warranty should the vehicle be used in any form of extreme sports, competition racing or produce lift above 50mm. It is the responsibility of the fitter, to ensure that the customer or the owner of the vehicle is aware of the warranty conditions under which the products have been sold. It is highly recommended that the words "Suspension Components Fitted are for Normal Use Only. Warranty Void if used in extreme conditions" is written on their receipt to avoid any confusion.

Dobinsons Spring & Suspension™ coil springs and shock absorbers are not covered under warranty if additional coil or strut spacers are fitted to a coil over type assembly.

Dobinsons Spring & Suspension™ will not pay for costs incurred in forwarding or returning goods. This warranty does not cover and Dobinsons Spring & Suspension™ makes no warranty with respect to; (1) any merchandise that is abused, misused, misapplied, neglected or altered; or that is improperly or incorrectly installed or maintained or used; or that is subjected to abnormal conditions of use, temperature, moisture, dirt or corrosive matter; (2) Goods bought for industrial, mining or agricultural use; (3) Goods no longer required by Client; (4) Goods incorrectly chosen by Client; (5) Goods modified or altered by client; and (6) any merchandise, materials, parts or other components supplied by someone other than Dobinsons Spring & Suspension™.

Dobinsons Spring & Suspension™ shall not be liable for any expenses incurred by Client in order to remedy any defect in its product. Dobinsons Spring & Suspension™ shall not be liable for any freight, labour, consequential, special, indirect or contingent damage or expense arising Directly or Indirectly from any defect in its products or from use of any products.

Dobinsons Spring & Suspension™ will not pay any expenses incurred by Client for fitment of wrongly supplied goods. All goods should be checked against the current appropriate catalogue for correct part numbers and fitment, before fitting to any vehicle.

Client agrees to indemnify and hold Dobinsons Spring & Suspension™ harmless from and against any loss, injury or damage, to person or property, that extends beyond the warranties set forth above, whether the claims against Dobinsons Spring & Suspension™ or the damages are incidental or consequential.

Installation of after-market items to your vehicle may adversely affect, void or violate the Manufacturers terms of warranty on your vehicle. Review the terms of your vehicle warranty prior to purchase and/or installation of any after-market part or accessory. Dobinsons Spring & Suspension™ does not make any representations or warranties of any kind as to suitability or fitness for a particular vehicle or purpose. Dobinsons Spring & Suspension™ shall not be responsible or liable for direct or indirect damages as a result of the purchase and/or installation of these after-market products.

TERMS & CONDITIONS

The only terms of the Contract are those agreed to in writing by Dobinsons Spring & Suspension™, these Terms (to the extent they are not inconsistent with terms agreed to in writing by Dobinsons Spring & Suspension™) and those which are implied or imposed by law (including the Trade Practices Act 1974) to the extent that it is not lawful or possible to exclude them. All other terms, conditions and warranties are expressly excluded. If a conflict arises between the terms of any order made by Client and these Terms, these Terms will prevail. An agreement to deliver the Goods in installments is taken to be separate Contract for each installment. The laws of Queensland govern these Terms and Conditions and any Contract that includes them and Dobinsons Spring & Suspension™ and Client submit to the jurisdiction of the courts of the State. If a term is held to be unenforceable, the remaining terms will apply.

Dobinsons Spring & Suspension™ will not be liable to the Client in the event that delivery of goods is delayed irrespective of the cause.



Dobinsons
SPRING & SUSPENSION

MANUFACTURERS & SUPPLIERS OF...

- Improved 4x4 Leaf Springs
- Performance Coil Springs
- Greasable 4x4 Shackles & Pins
- Polyurethane Bushes
- Shock Absorbers
- U-Bolts & Nuts
- 4x4 Torsion Bars
- 4x4 Accessories

HEAD OFFICE
58 Hollingsworth Street
North Rockhampton QLD Australia 4701
Tel: +61 7 4927 7444
Email: admin@dobinsons.com

BRISBANE
30 Kremzow Road
Brendale QLD Australia 4500
Tel: +61 7 3205 6979
Email: brisbane.sales@dobinsons.com

SYDNEY
Unit 2 / 63 Hartley Road
Smeaton Grange NSW Australia 2567
Tel: +61 2 4647 8295
Email: sydney.sales@dobinsons.com

MELBOURNE
Unit 1 / 13a Abbotts Road
Dandenong South VIC Australia 3175
Tel: +61 3 9706 5200
Email: melbourne.sales@dobinsons.com

ADELAIDE
25 Barndioota Road
Salisbury Plain SA Australia 5109
Tel: +61 8 8369 1377
Email: adelaide.sales@dobinsons.com

USA
10311 NW 62nd Street,
DORAL, FLORIDA 33178
Tel: +1 305 424 8353
Email: sales@dobinsonusa.com

DUBAI
13 4A Street, Ras Al Khor Industrial Area 2
DUBAI, UNITED ARAB EMIRATES
Tel: +971 54 355 1950
Email: ms.dubai@dobinsons.com

www.dobinsons.com

Proudly Supplied by: