TOYOTA PRADO 150
4RUNNER/ FJ CRUISER



SOME VEHICLES MAY REQUIRE THE NUT ON THE INNER GUARD TO BE GROUND DOWN SLIGHTLY AND THE GUARD TAPPED LIGHTLY WITH A HAMMER TO PROVIDE CLEARANCE TO THE REBOUND ADJUSTER


P-CLAMP

ROUTE HOUSE TO THE REAR. FIX HOSE WITH P - CLAMP.
DRILL 6MM HOLE AND POSITION CLAMP SO HOSE IS AGAINST THE OUTER FOLD EDGE OF THE COIL TOWER AND SO HOSE IS ALMOST TIGHT AT FULL DROOP.

CHECK CLEARANCE TO BRAKE LINE AND BEND AWAY BRAKE BRACKET SLIGHTLY IF REQUIRED

NOTE BRACKET ORIENTATION.
ENSURE CLEARANCE OF RESERVOIR TO RADIATOR/INTERCOOLER HOSES.
SEE BOTTOM LEFT PICTURE FOR LEFT SIDE IMPORTANT NOTES.
RE-FIT RUBBER LINER AND STRETCH HOLES OVER BOLT HEADS AT THE BOTTOM FOR ACCESS TO ADJUSTERS

FOR THE LEFT SIDE OF SOME DIESEL MODELS THERE IS A CHASSIS EARTH THAT MAY CONTACT THE BRACKET.
IN THIS CASE BEND THE BRACKET OUT SLIGHTLY ABOVE THE 2 X 6MM BOLTS A FEW DEGEREES IN A VICE TO ALLOW CLEARANCE



SHORT 8MM CAPTIVE NUT AND LONGER 8MM BOLTS & S/WASHERS

SHORT 8MM BOLTS & SPRING WASHERS

LONGER 6MM CAPTIVE NUT AND LONGER 6MM BOLT & SPRING WASHER

TOYOTA PRADO 150
4 RUNNER/ FJ CRUISER
WITH KDSS LEFT SIDE


SOME VEHICLES MAY REQUIRE THE NUT ON THE INNER GUARD TO BE GROUND DOWN SLIGHTLY AND THE GUARD TAPPED LIGHTLY WITH A HAMMER TO PROVIDE CLEARANCE TO THE REBOUND ADJUSTER



P CLAMP


POSITION RESERVOIR TO CLEAR HOSES AND BRACKETS, DRILL AND TAP / BOLT USING HANDLE NUTS IN POSITION AS REQUIRED. SHOWN WITH RUBBER LINER REMOVED - THIS LINER CAN HAVE A SLOT / V CUT INTO IT FOR ACESS TO ADJUSTERS

LEXUS GX460 WITH KDSS
Drivers Side



1. Locate the pre-drilled hole on the vehicle's body.
2. Align the reservoir bracket with these holes.
3. Secure the bracket in place using the provided fasteners.
4. Ensure there is adequate tire clearance before tightening the bracket.

1. Locate the pre-drilled hole on the vehicle's frame.
2. Align the reservoir bracket with the hole.
3. Attach the bracket to the frame using the provided captured nut and bolt.
4. Ensure there is adequate tire, upper control arm and tie rod clearance.



LEXUS GX460 WITH KDSS
Passenger Side